


FIG.1



卷之三

FIG.2




FIG.3




FIG.4

The diagram shows a table with five columns. Above each column is a wavy line with a number: 41, 42, 43, 44, and 45. Column 41 points to the 'SYSID' header, 42 to 'APPARATUS CATEGORY', 43 to 'SOFTWARE CATEGORY', 44 to 'PROGRAM NAME', and 45 to 'SELECTION POSSIBILITY'. The table has 10 rows. Rows 1-3 show data for 'ROUTER'. Rows 4-8 show data for 'OS'. Rows 9-10 show data for 'SERVER'.

SYSID	APPARATUS CATEGORY	SOFTWARE CATEGORY	PROGRAM NAME	SELECTION POSSIBILITY
R001-00-01	ROUTER	—	A	YES
R001-00-02			B	NO
:	:	:	:	:
S001-OS-01	OS	OS	H	YES
S001-OS-02			I	NO
S001-WEB-01		Web	X	YES
S001-WEB-02			Y	NO
S001-WEB-03			Z	NO
S001-MAIL-01	MAIL	MAIL	O	YES
S001-DB-01			P	YES
:	:	:	:	:

FIG.5

POLICYID	MEASURE CATEGORY	SECURITY MEASURE	SELECTION POSSIBILITY
AUTH-01	IDENTIFICATION AND AUTHENTICATION FUNCTIONS	LIMITATION OF TERMINAL CAPABLE OF ACCESSING TO NETWORK	YES
AUTH-02	IDENTIFICATION AND AUTHENTICATION FUNCTIONS	EXECUTION OF GOOD PASSWORD SETTING FOR IDENTIFICATION AND AUTHENTICATION INFORMATION	YES
:	:	:	:
ACC-01	ACCESS CONTROL FUNCTION	LIMITATION OF COMMAND AVAILABLE FOR EACH TERMINAL AND USER	YES
ACC-02	ACCESS CONTROL FUNCTION	SETTING AND CHANGE OF AUTHORITY AND LIMITATION OF OPERATOR CAPABLE OF DELETING	YES
ACCADM-01	ACCESS OBSERVATION	EXECUTION OF DETECTION FOR FALSIFICATION OF DATA AND PROGRAM	YES
ACCADM-02	ACCESS OBSERVATION	RECORD OF COMMAND USED BY USER	NO
ACCADM-03	ACCESS OBSERVATION	ACQUIREMENT OF ACCESS LOG	NO
VIRUS-01	ANTI-VIRUS MEASURE	INSTALLATION OF VACCINE SOFTWARE	
VIRUS-02	ANTI-VIRUS MEASURE	PERIODIC VIRUS CHECK	YES
VIRUS-03	ANTI-VIRUS MEASURE	PERIODIC UPDATE OF VIRUS DEFINITION DATA	YES
:	:	:	:

FIG.6

MANAGEMENT PROGRAM			AUDIT PROGRAM			
POLICYID	MANAGEMENT PROGRAM NAME ADMID	SYSID	CORRESPONDENCE	AUDIT PROGRAM NAME AUDITID	SYSID	CORRESPONDENCE
AUTH-01	ADM_USR_#1	R001-00-01 S001-WEB-01 ⋮	○	AUDIT_USR_#1	S001-WEB-01	○
AUTH-02	ADM_USR_#2	S001-MAIL-01	—	AUDIT_USR_#2	R001-00-01	—
⋮	⋮	⋮	⋮	⋮	⋮	⋮
ACCADM-01	ADM_UNAUTH_#1	S001-MAIL-01	○	AUDIT_LOG_#1	S001-MAIL-01	○
⋮	⋮	⋮	⋮	⋮	⋮	⋮
621	622	623	631	632	633	633

FIG.7




FIG.8

SELECTION SCREEN OF INFORMATION SECURITY
POLICY MANAGEMENT AND AUDIT OBJECT AREA

APPARATUS CATEGORY

SERVER	▼
ROUTER	
SERVER	
CLIENT	
:	

91

SOFTWARE CATEGORY

Web	▼
OS	
Web	
MAIL	
:	

92

93

PROGRAM NAME

X	▼
---	---

94

USAGE POSSIBILITY

NO	▼
YES	

OK

CLOSE

FIG.9

SELECTION SCREEN OF INFORMATION SECURITY POLICY

MEASURE CATEGORY	IDENTIFICATION AND AUTHENTICATION FUNCTIONS	▼	1001
SECURITY MEASURE	LIMITATION OF TERMINAL CAPABLE OF ACCESSING TO NETWORK	▼	1002
	EXECUTION OF SETTING OF GOOD PASSWORD FOR IDENTIFICATION AND AUTHENTICATION INFORMATION EXECUTION OF SETTING	▼	
USAGE POSSIBILITY	NO	▼	1003
	YES	▼	
<input type="button" value="OK"/> <input type="button" value="CLOSE"/>			

FIG.10




FIG.11

SCREEN OF CHANGE OF INFORMATION
SECURITY POLICY EXECUTION STATUS/SECURITY MEASURE

MEASURE CATEGORY	IDENTIFICATION AND AUTHENTICATION FUNCTIONS	▼	1001		
	ACCESS CONTROL FUNCTION				
	ALL				
SECURITY MEASURE	LIMITATION OF TERMINAL CAPABLE OF ACCESSING TO NETWORK	▼	1002		
	EXECUTION OF GOOD PASSWORD SETTING FOR IDENTIFICATION AND AUTHENTICATION INFORMATION				
	ALL				
	MANAGEMENT	1101	AUDIT	1102	CLOSE

FIG.12

ACCOUNT NAME	<input type="text"/>
PASSWORD	<input type="text"/>
SECURITY ATTRIBUTE CONCERNING PASSWORD	
<input type="checkbox"/> CONFIRM PASSWORD LENGTH IS AT LEAST EQUAL TO 8 CHARACTERS OR MORE	
<input type="checkbox"/> CONFIRM PASSWORD IS NOT SIMPLE	

FIG.13





FIG. 14

FIG.15




FIG.16




FIG.17

17/26




FIG. 18




FIG.19

LATEST VARIOUS INFORMATION OF SYSTEM						SECURITY INFORMATION		
AUDIT PROGRAM NAME	SYSID	SOFTWARE CATEGORY	PROGRAM NAME	Ver/Patch	APPARATUS CATEGORY	APPARATUS TYPE	MEASURE EXECUTION STATUS	SECURITY STATUS
AUDIT_USR_#1	S001-WEB-01	Web	X	1.0/-	SERVER	***	EXECUTED	***
AUDIT_USR_#2	R001-00-01	—	—	-/-	ROUTER	***	UNEXECUTED	***
AUDIT_LOG_#1	S001-MAIL-01	MAIL	O	1.2/1.2a	SERVER	***	EXECUTED	***
:	:	:	:	:	:	:	:	:
721	722	723	724	725	726	727	731	732

FIG.20




FIG.21




FIG.22

SECURITY SPECIFICATION




FIG.23




FIG.24

AUDIT RESULT REPORT

SYSID : S001-WEB-01	PROGRAM NAME : X	Ver/Patch : 1.0/-	2401	
SOFTWARE CATEGORY : Web				
APPARATUS CATEGORY : SERVER	APPARATUS TYPE : ****			
POLICYID : AUTH_01				
MEASURE CATEGORY : IDENTIFICATION AND AUTHENTICATION FUNCTIONS				
SECURITY MEASURE : LIMITATION OF TERMINAL CAPABLE OF ACCESSING TO NETWORK				
AUDIT ITEM(WHETHER : ○				
ITEM 1 TEST PARAMETER ****				
: TEST PARAMETER ****				
ITEM2 TEST PARAMETER ****				
: :				
POLCYID : ACCADM-01				
MEASURE CATEGORY : ACCESS OBSERVATION				
SECURITY MEASURE : DETECTION OF EXECUTION OF FALSIFICATION OF DATA AND PROGRAM				
AUDIT ITEM(WHETHER : ×				
ITEM 1 TEST PARAMETER ****				
: TEST PARAMETER ****				
ITEM2 TEST PARAMETER ****				
: :				
SYSID : R001-00-01	2401			
APPARATUS CATEGORY : ROUTER				

FIG.25

TOP SECRET - ESTECO

SYSID : R001-00-01	} 2401			
CATEGORY : ROUTER APPARATUS TYPE : ****				
POLICYID : ACCADM_04	} 2402			
MEASURE CATEGORY : ACCESS OBSERVATION				
SECURITY MEASURE : DETECTION OF ILLEGAL ACCESS	} 2403			
AUDIT ITEM (WHETHER MEASURE IS EXECUTED OR UNEXECUTED) : <input type="radio"/>				
TIME	ACCESS CATEGORY	ADDRESS OF TRANSMITTER	ADDRESS OF RECEIVER	PORT OF RECEIVER
00/05/15/12:00	SMTP	202.202.202.1	133.145.1.1	25/TCP
00/05/15/12:20	HTTP	202.213.111.6	133.145.1.6	80/TCP
00/05/15/12:32	SNMP	202.213.202.1	133.145.1.1	161/UDP
00/05/15/12:45	ICMP	202.213.111.6	133.145.1.1	-
00/05/15/12:47	FTP	202.202.202.1	133.145.1.1	21/TCP
:	:	:	:	:

:

FIG.26

